

# WSN BASED INTELLIGENT CONTROL SYSTEM FOR SERICULTURE

Silla Rajugopal<sup>1</sup> and Dheeraj Kumar<sup>2</sup>

<sup>1</sup>Aryan Institute of Engineering & Technology, Bhubaneswar, Odisha

<sup>2</sup>Capital Engineering College, Bhubaneswar, Odisha

**Abstract:** Sericulture, or silk cultivating, is the development of silkworms to deliver silk. Temperature, Humidity and Light force are vital boundaries in the movement of silkworms, appropriate empowering should be finished by imperatives in each stage. Ecological varieties accept as a significant part in the development and advancement of silkworm. IoT is late worldview that has an assortment of every single item to detect and convey through the web by remote brilliant versatile with one another. The auto controlled actuators like fumes fan, warmer and sprinkler keep up with the temperature and dampness of the framework inside the limit levels. The claim to fame of this model contains a framework which can notice temperature, dampness and light power through sensors. In the event that any varieties in the boundaries, NodeMCU straightforwardly send notice to the client portable application through Wi-Fi utilizing the web association. The point of this model is to acquire the silk, without compromising the amount and quality. The framework grants for booked programming through Arduino IDE programming in such a manner to keep up with the necessary natural conditions.

preparation of silk by nurturing the silkworms. The foremost cause is recognized for enormous difference is absence mechanization in the sericulture field. The seasonal changes

**Keywords:** WSN, Sericulture

## 1. Introduction

Sericulture, the production of raw silk by means of raising caterpillars (*Bombyx mori*). Silkworms were first discovered by the Chinese around 2700 BC and for many centuries. Sericulture begins with knowing which silkworm will yield high quality silk that is both strong and naturally lustrous. *Bombyx Mori* is the most widely used species. In fact, there is evidence to suggest that *Bombyx Mori* was the species originally discovered by Chinese during the Neolithic age, when silk was first cultivated. The art and technology of raising silkworm for the production is called sericulture, that comprises with cultivation of mulberry, silk worm rearing and post cocoon activities leading to production of silk yarn.

Silk is known as “QUEEN OF TEXTILE” and naturally produced animal fiber. Sericulture is an agro based cottage industry, the production of silk is very time taking as well as dedicated and difficult method. Silkworm mainly deals with the

disturb the environmental changes in the silkworm rearing house, which affects the weight of cocoon and shell ratio as well as cocoon quality. The quality of silk is affected due to the environmental changes in the silkworm rearing house. By controlling the environmental factors such as temperature, humidity and light intensity throughout the lifespan of silkworm without compromising the quality of silk.

## **2. Literature review**

- K. Rahmathulla, this paper details the influence of temperature, humidity, air and light on the growth and development of silkworm. The day to day or seasonal changes of the environmental parameters affect the output of the sericulture process such as cocoon weight and quality of silk.
- It discusses the optimum conditions for the environmental parameters for the higher productivity in sericulture.
- It also studies about the growth, feed and reproductive potentials. The study highlights the care to be taken during silkworm spinning and the temperature, humidity influence on post cocoon parameters of silkworm.
- M. A. Dixit, designed and developed an economical model which constitute a data acquisition subsystem which measures the physical conditions in the zone.
- This model has intelligent controller and actuator facility, where the controller directs the abiotic data to actuator sub system and it achieve the corrective measures in the zone based implementation.
- Divya Darshini B designed and developed an real time monitoring model which employs a digital image processing technology. It has a disinfection actuating systems which observe the different stages in the lifecycle of silkworm.
- This developed prototype features real time data is collected using 6LOWPAN and protocols like the constrained application protocol(COAP) and routing protocol for low power and lossy network(RPL).
- Actuators like heater, exhaust fan, sprinkler maintain the temperature and humidity of the system within the predetermined threshold levels.

- Image processing technology is used with a serial camera incorporated in the system which capture the pictures of sericulture process and analyze the status.
- Intelligent and smart WSN system can collect and process large amount of data from the beginning of the monitoring.

### 3. Block diagram




Fig.1. IoT Based block representation proposed system

### 4. Methodology

Microcontroller (NODEMCU) is the heart of the framework which is customized such that it will screen and control the parameters within the threshold values. There are two sensor temperature, humidity and light sensor. The DHT11 sensor measures the temperature and relative humidity which splits over a digital signal with temperature and humidity, given to NodeMCU. LDR (light dependent resistor) measure the light intensity in the rearing house. Cooler and temperature control unit (heater) maintain the temperature within the threshold values. OLED display the environmental parameters. Relay is an electrically operated switch to protect the electrical circuit from the faults. The information and condition in raising house will be sent to agriculturists mobile through the GSM.

The proposed system does the following.

- Testing and validation of sensor.

- Signal conditioning.
- Receiving signal with the help of Internet of things(IoT).
- Based on sensor signal analyze the situation and provide appropriate control signal to meet required condition.
- Interfacing sensors to microcontroller to achieve the desired result.

### 5. Conclusion

The “WSN Based Intelligent Control System for Sericulture” gives automation and guided environment in sericulture advances, this venture gives mechanization and supervisory control in sericulture cultivates by employing NodeMCU and IoT technology based invention. This model facilities and controls the natural variables like temperature, intensity and light power along with the food feeder and solution sprays. Required edge values for parameters like temperature, relative humidity and light intensity can be stable based on the environmental circumstances. The proposed framework is financially affordable and power effective arrangement. Implemented test of this prototype system validates that the proposed. System can work gradually to observe the environmental conditions inside the silkworm raising house. The proposed system reduces the man power and reduces the chance of errors. The model is convenient to implement and use. The current system requires continuous internet and connectivity. In future this can be overcome by using GSM module to send the notification directly on the farmer’s mobile through the SMS without using the internet connectivity.

### References

- [1] K. Rahmathulla, “Management of Climatic Factors for Successful Silkworm (Bombyx mori L.) Crop and Higher Silk Production: A Review,” *Psyche*, vol. 2012, Article ID 121234, 12 pages, 2012.
- [2] Mubashar Hussain, Shakil Ahmed Khan, Muhammad Naveem and M. Farooq Nasir, “Effect of rearing temperature and humidity on fecundity and fertility of silkworm, Bombyxmori L.
- [3] D. B. Madihalli, S. S. Itannavar. “Automated Sericulture System”, *Journal of advance in science and Technology*, June-2017.
- [4] G. Sushanth and S. Sujatha, "IOT Based Smart Agriculture System," *2018 International Conference on Wireless Communications, Signal Processing and Networking (WiSPNET)*, Chennai, 2018, pp. 1-4.